

SAFETY DATA SHEET

Legionella Latex Reagents

# 1. Identification of the substance/preparation and company/undertaking

### Identification of the substance or preparation

Product name	:	Legionella Latex Reagents	Code
Trade name	11	L. pneumophila sg 2 Latex Reagent	PL.215
		L. pneumophila sg 3 Latex Reagent	PL.216
		L. pneumophila sg 4 Latex Reagent	PL.217
		L. pneumophila sg 5 Latex Reagent	PL.218
		L. pneumophila sg 6 Latex Reagent	PL.219
		L. micdadei Latex Reagent	PL.221
		Legionella Negative Control Latex Reagent	PL.223
		L. pneumophila sg 7 Latex Reagent	PL.325
		L. pneumophila sg 8 Latex Reagent	PL.326
		L. pneumophila sg 9 Latex Reagent	PL.327
		L. pneumophila sg 10 Latex Reagent	PL.328
		L. pneumophila sg 11 Latex Reagent	PL.329
		L. pneumophila sg 12 Latex Reagent	PL.330
		L. pneumophila sg 13 Latex Reagent	PL.331
		L. pneumophila sg 14 Latex Reagent	PL.332
		L. pneumophilaPolyvalent Positive Control (L. pneumophila sg 1-14)	PL.334
Use of the substance/preparation	:	The Legionella Latex Reagents are intended for the presumptive identification pneumophila serogroups 2 through 14 and L. micdadei culture colonies from	
Company/undertaking identification	on		
Supplier/Manufacturer	:	Pro-Lab Diagnostics, 20 Mural Street, Unit 4, Richmond Hill, ON, Canad Tel: +1-905-731-0300 Fax: +1-905-731-0206 www.pro-lab.com	a L4B 1K3
Emergency telephone number	:	+44 (0)151 353 1613 -Monday to Friday 9:00 am to 5:00 pm.	

# 2. Composition/information on ingredients

Substance/preparation : Preparation				
Ingredient name	CAS number	%	EC number	Classification
Europe Sodium azide See section 16 for the full text of the R-phrases declared above	26628-22-8	0 - 0.1	247-852-1	T+; R28 R32 N; R50/53

+44 (0)7714 429 646 -Outside the above hours.

Occupational exposure limits, if available, are listed in section 8.

# 3. Hazards identification

The preparation is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification

Human health hazards

: Xn; R22

: Harmful if swallowed.

See section 11 for more detailed information on health effects and symptoms.



## 4. First-aid measures

First-aid measures	
Inhalation	<ul> <li>If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms appear.</li> </ul>
Ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear.
Skin contact	: Wash with soap and water. Get medical attention if irritation occurs.
Eye contact	: Check for and remove any contact lenses. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if irritation occurs.

See section 11 for more detailed information on health effects and symptoms.

# 5. Fire-fighting measures

Extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Special exposure hazards	:	No specific hazard.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# 6. Accidental release measures

Personal precautions	:	Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.
Environmental precautions and clean-up methods	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
	If emergency personnel are unavailable, contain spilt material. For small sp (soil may be used in the absence of other suitable materials), scoop up mater sealable, liquid-proof container for disposal. For large spills, dyke spilt ma contain material to ensure runoff does not reach a waterway. Place sp appropriate container for disposal.	
Note: see section 8 for personal n	rot	active agginment and section 13 for waste disposal

Note: see section 8 for personal protective equipment and section 13 for waste disposal.

## 7. Handling and storage

Specific uses	: Not available.
Recommended	: Use original container.
Packaging materials	
Storage	<ul> <li>Keep container closed. Keep container in a cool, ventilated area.</li> <li>Storage temperature: 2-8°C (36-46°F). Do not freeze.</li> </ul>
Handling	: Do not ingest. Wash thoroughly after handling.

# 8. Exposure controls/personal protection

Ingredient name Sodium azide	Occupational exposure limits EH40-OES (United Kingdom (UK), 5/2003). Skin STEL: 0.3 mg/m <sup>3</sup> 15 minute/minutes. Form: All forms. TWA: 0.1 mg/m <sup>3</sup> 8 hour/hours. Form: All forms.	
Exposure controls		
Occupational exposure controls	: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.	
<b>Respiratory protection</b>	: Not required if handle in a ventilated enclosure.	
Hand protection	<ul> <li>Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended : Disposable vinyl gloves.</li> </ul>	
Eye protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: Safety glasses.	



**Skin protection** 

Legionella Latex Reagents

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Body: Recommended: Lab coat.

# 9. Physical and chemical properties

#### **General information**

Appearance	
<b>Physical state</b>	: Liquid.
Colour	: White.
Important health, safety and	environmental information
рН	: Neutral.
<b>Boiling point</b>	: Weighted average: 100°C (212°F)
Melting point	: Weighted average: 0°C (32°F)
Vapour pressure	: The highest known value is 2.3 kPa (17.5 mm Hg) (at 20°C) (Water).
<b>Relative density</b>	: The only known value is 1 g/cm <sup>3</sup> (Water).
Solubility	: Easily soluble in cold water, hot water, methanol, acetone.
Vapour density	: The highest known value is 0.62 (Air = 1) (Water).
<b>Evaporation rate</b>	: 0.36 (Water) compared with Butyl acetate.
Other information	

## 10. Stability and reactivity

Stability

: The product is stable.

Materials to avoid : Reactive with oxidizing materials and acids.

# 11. Toxicological information

#### **Potential acute health effects**

i otominar actate meanin enreets					
Inhalation	:	No known significant effects or critical hazards.			
Ingestion	:	Harmful if swallowed.			
Skin contact	:	No known significant effects or critical hazards.			
Eye contact	:	No known significant effects or critical hazards.			
Acute toxicity					
Ingredient name Sodium azide		<u>Test</u> LD50 LD50 LD50 LD50 LD50	<u>Result</u> 27 mg/kg 27 mg/kg 20 mg/kg 50 mg/kg	<u>Route</u> Oral Oral Dermal Dermal	<u>Species</u> Rat Mouse Rabbit Rat
Carcinogenicity	:	No known signif	icant effects or critica	l hazards.	
Mutagenicity	:	No known signif	icant effects or critica	l hazards.	
<b>Reproductive toxicity</b>	:	No known signif	icant effects or critica	l hazards.	
<b>Over-exposure signs/sympto</b>	<u>ms</u>				
Inhalation	:	No known signif	icant effects or critica	l hazards.	
Ingestion	:	No known signif	icant effects or critica	l hazards.	
Skin	:	No known significant effects or critical hazards.			
Other adverse effects	:	Not available.			



# 12. Ecological information

Ingredient name	Species	<b>Period</b>	Result
Sodium azide	Daphnia pulex (EC50)	48 hour/hours	4.2 mg/l
	Lepomis macrochirus (LC50)	96 hour/hours	0.68 mg/l
	Lepomis macrochirus (LC50)	96 hour/hours	0.7 mg/l
	Oncorhynchus mykiss (LC50)	96 hour/hours	0.8 mg/l
	Oncorhynchus mykiss (LC50)	96 hour/hours	2.75 mg/l
	Oncorhynchus mykiss (LC50	96 hour/hours	2.84 mg/l
Mobility	: Not available.		
Other adverse effects	: No known significant effects or critical	hazards.	

Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Waste classification	: Not applicable.
European waste catalogue (EWC)	: Not available.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.

# 14. Transport information

## International transport regulations

Classification: ADR/ADNR/IMDG/IATA : Not regulated.

Label: Not applicable.

Additional information

# 15. Regulatory information

## **EU regulations**

Hazard symbol/symbols



Risk phrases	: R22- Harmful if swallowed.	
Contains	: Sodium azide	247-852-1
Product use	<ul> <li>Classification and labelling have been performed at 1999/45/EC (including amendments) and the intend - Industrial applications.</li> </ul>	
EU statistical classification (Tariff Code)	: 32089091	



# 16. Other information

Full text of R-phrases referred to in sections 2 and 3 - United Kingdom (UK)	•:	<ul> <li>R28- Very toxic if swallowed.</li> <li>R22- Harmful if swallowed.</li> <li>R32- Contact with acids liberates very toxic gas.</li> <li>R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> </ul>
Full text of classifications	:	T+ - Very toxic
referred to in sections 2 and 3 - United Kingdom (UK)		Xn - Harmful N - Dangerous for the environment.
Training advice	:	Not available.
<b>Recommended use and</b> restrictions	:	Not available.
Further information	:	Not available.
Key data sources	:	Not available.
<b>Revision comments</b>	:	Not available.
<u>History</u>		
Date of issue	:	15/30/2005
Version	:	1

#### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Version	1	P	Page: 5/5