

SAFETY DATA SHEET

PL.241: *Legionella pneumophila* serogroup 1 DFA Kit ;
PL.242: *Legionella pneumophila* serogroups 1 to 14 DFA Kit

1. Identification of the substance/preparation and company/undertaking

Identification of the substance or preparation

Product name	: PL.241: <i>Legionella pneumophila</i> serogroup 1 DFA Kit ; PL.242: <i>Legionella pneumophila</i> serogroups 1 to 14 DFA Kit	Code
Trade name	: <i>Legionella pneumophila</i> serogroup 1 DFA Kit (PL.241) <i>Legionella pneumophila</i> serogroup 1 DFA Reagent Negative Control Reagent Positive Control Reagent Mounting Medium <i>Legionella pneumophila</i> serogroup 1-14 DFA Kit (PL.242) <i>Legionella pneumophila</i> serogroup 1-14 DFA Reagent Negative Control Reagent Positive Control Reagent Mounting Medium	PL.310 PL.311 PL.312 PL.315 PL.313 PL.311 PL.314 PL.316

Use of the substance/preparation : PL.241: The Direct Fluorescent Antibody Reagent is intended for the presumptive (serological) identification of *Legionella pneumophila* serogroup 1 from culture isolates.

PL.242: The Direct Fluorescent Antibody Reagent is intended for the presumptive (serological) identification of *Legionella pneumophila* serogroups 1 to 14 from culture isolates.

Company/undertaking identification

Supplier/Manufacturer : Pro-Lab Diagnostics, 20 Mural Street, Unit 4, Richmond Hill, ON, Canada L4B 1K3
Tel: +1-905-731-0300 Fax: +1-905-731-0206 www.pro-lab.com

Emergency telephone number : +44 (0)151 353 1613 -Monday to Friday 9:00 am to 5:00 pm.
+44 (0)7714 429 646 -Outside the above hours.

2. Composition/information on ingredients

Substance/preparation : Preparation

Ingredient name	CAS number	%	EC number	Classification
Glycerol	56-81-5	40 - 60	200-289-5	Not classified. T+; R28 R32 N; R50/53
Sodium azide	26628-22-8	0.1 - 0.5	247-852-1	
See section 16 for the full text of the R-phrases declared above				

Occupational exposure limits, if available, are listed in section 8.

3. Hazards identification

The preparation is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Xn; R22

Human health hazards : Harmful if swallowed.

See section 11 for more detailed information on health effects and symptoms.

4. First-aid measures

First-aid measures

- Inhalation** : If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms appear.
- Ingestion** : Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear.
- Skin contact** : Wash with soap and water. Get medical attention if irritation occurs.
- Eye contact** : Check for and remove any contact lenses. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if irritation occurs.

See section 11 for more detailed information on health effects and symptoms.

5. Fire-fighting measures

- Extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Special exposure hazards** : No specific hazard.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

- Personal precautions** : Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.
- Environmental precautions and clean-up methods** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
- If emergency personnel are unavailable, contain spilt material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dyke spilt material or otherwise contain material to ensure runoff does not reach a waterway. Place spilt material in an appropriate container for disposal.

Note: see section 8 for personal protective equipment and section 13 for waste disposal.

7. Handling and storage

- Handling** : Do not ingest. Wash thoroughly after handling.
- Storage** : Keep container tightly closed. Store between 2°C (35.60°F) and 8°C (46.40°F).
- Packaging materials**
- Recommended** : Use original container.
- Specific uses** : Not available.

8. Exposure controls/personal protection

Ingredient name

Occupational exposure limits

Glycerol

EH40-OES (United Kingdom (UK), 5/2003).

Sodium azide

TWA: 10 mg/m³ 8 hour/hours. Form: Mist
EH40-OES (United Kingdom (UK), 5/2003). Skin
 STEL: 0.3 mg/m³ 15 minute/minutes. Form: All forms.
 TWA: 0.1 mg/m³ 8 hour/hours. Form: All forms.

Exposure controls

- Occupational exposure controls** : Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.
- Respiratory protection** : No respirator needed.
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: Disposable vinyl gloves.

- Eye protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
 Recommended: Safety glasses.
- Skin protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
 Body: Recommended: Lab coat.



9. Physical and chemical properties

General information

Appearance

Physical state : Liquid.

Important health, safety and environmental information

pH : Neutral.

Boiling point : Weighted average: 145.04°C (293.1°F)

Melting point : Weighted average: 4.71°C (40.5°F)

Vapour pressure : The highest known value is 2.3 kPa (17.5 mm Hg) (at 20°C) (Water).

Relative density : Weighted average: 1.06 g/cm³

Solubility : Easily soluble in cold water, hot water, methanol, acetone.

Vapour density : Weighted average: 1.21 (Air = 1)

Evaporation rate : >1 (Glycerol) compared with Ether (anhydrous).

Other information

10. Stability and reactivity

Stability : The product is stable.

Materials to avoid : Reactive with oxidizing materials, acids and alkalis.

11. Toxicological information

Potential acute health effects

Inhalation : No known significant effects or critical hazards.

Ingestion : Harmful if swallowed.

Skin contact : No known significant effects or critical hazards.

Eye contact : No known significant effects or critical hazards.

Acute toxicity

<u>Ingredient name</u>	<u>Test</u>	<u>Result</u>	<u>Route</u>	<u>Species</u>
Glycerol	LD50	12600 mg/kg	Oral	Rat
	LD50	4090 mg/kg	Oral	Mouse
	LD50	7750 mg/kg	Oral	Guinea pig
Polyvinyl Alcohol	LD50	23854 mg/kg	Oral	Rat
	LD50	14270 mg/kg	Oral	Mouse
	LD50	14700 mg/kg	Oral	Mouse
Sodium azide	LD50	27 mg/kg	Oral	Rat
	LD50	27 mg/kg	Oral	Mouse
	LD50	20 mg/kg	Dermal	Rabbit
	LD50	50 mg/kg	Dermal	Rat

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Reproductive toxicity : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Skin : No known significant effects or critical hazards.

Other adverse effects : Not available.

12. Ecological information

Ecotoxicity data

Ingredient name

Glycerol
 Sodium azide

Species

Oncorhynchus mykiss (LC50)
 Daphnia pulex (EC50)
 Lepomis macrochirus (LC50)
 Lepomis macrochirus (LC50)
 Oncorhynchus mykiss (LC50)
 Oncorhynchus mykiss (LC50)
 Oncorhynchus mykiss (LC50)

Period

96 hour/hours
 48 hour/hours
 96 hour/hours
 96 hour/hours
 96 hour/hours
 96 hour/hours
 96 hour/hours

Result

54000 mg/l
 4.2 mg/l
 0.68 mg/l
 0.7 mg/l
 0.8 mg/l
 2.75 mg/l
 2.84 mg/l

Mobility : Not available.

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Waste classification

: Not applicable.

European waste catalogue (EWC)

: Not available.

Hazardous waste

: The classification of the product may meet the criteria for a hazardous waste.

14. Transport information

International transport regulations

Classification: ADR/ADNR/IMDG/IATA : Not regulated.

Label: Not applicable.

Additional information

15. Regulatory information

EU regulations

Hazard symbol/symbols



Harmful

Risk phrases

: R22- Harmful if swallowed.

Contains

: Sodium azide

247-852-1

Product use

: Classification and labelling have been performed according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and the intended use.
 - Industrial applications.

EU statistical classification (Tariff Code)

: 32089091

16. Other information

Full text of R-phrases referred to in sections 2 and 3 - United Kingdom (UK) : R28- Very toxic if swallowed.
R22- Harmful if swallowed.
R32- Contact with acids liberates very toxic gas.
R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Full text of classifications referred to in sections 2 and 3 - United Kingdom (UK) : T+ - Very toxic
Xn - Harmful
N - Dangerous for the environment.

Training advice : Not available.

Recommended use and restrictions : Not available.

Further information : Not available.

Key data sources : Not available.

Revision comments : Not available.

History

Date of issue : 09/20/2005

Version : 1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Version 1

Page: 5/5