

PRO-LAB DIAGNOSTICS

Unit 7, Westwood Court, Clayhill Industrial Estate, Neston, South Wirral, Cheshire, CH64 3UJ

Tel. 0151 353 1613 Fax. 0151 353 1614

uksupport@pro-lab.com

www.pro-lab.com

ISO 13485:2003 REGISTERED CERTIFICATE NUMBER 9190-3

MATERIAL SAFETY DATA SHEET

Section 1.

Code	Product
SD2300	McFarland Standard 0.5
SD2301	McFarland Standard 1.0
SD2302	McFarland Standard 2.0
SD2303	McFarland Standard 3.0
SD2304	McFarland Standard 4.0
SD2305	McFarland Standard 5.0
SD2350	McFarland Standard 0.5 - 4.0 Set

Manufacturer: Pro-Lab Diagnostics
7 Westwood Court
Clayhill Industrial Estate
Neston
Cheshire
CH64 3UJ
United Kingdom

Telephone number: 0151 353 1613 Fax number: 0151 353 1614

Date prepared: 2001/08. Updated: 2006/03.

Section 2. Hazardous Ingredients/Identity Information

This suspension of Latex beads in water and other stabilisers poses no hazard.

Section 3. Physical/Chemical Characteristics

Boiling point: not applicable . Specific gravity: not applicable.

Vapour pressure (mmHg): not applicable. Vapour density (AIR=1): not applicable.

Melting point: not applicable. Evaporation rate: not applicable.

Solubility in water: soluble. Appearance: cloudy. Odour: none.

Consists of: latex beads in an aqueous solution.

Section 4. Fire and Explosion Hazard Data

Flash point: none. Flammable limits: not applicable LEL: not applicable.

UEL:

Extinguishing medium: not applicable. Special fire fighting precautions: none.

Unusual fire and explosion hazards: none.

Section 5. Reactivity Data

Stability: stable. Condition to avoid: swallowing.

Reagent incompatibility: not known.

Hazardous decomposition or by-products: none known.

Hazardous polymerisation: not applicable. Conditions to avoid: freezing or mixing with organic solvents.

Section 6. Health Hazard Data

Routes of entry: ingestion. Inhalation: none. Skin: none.

Ingestion: not known.

Health Hazards: none.

Carcinogenicity: none. NIP? IARC Monographs? OSHA regulated?

Signs and symptoms of exposure: none.

Medical conditions aggravated by exposure: none. Emergency first aid procedures: none.

Section 7. Precautions for Safe Handling and Use

Steps to be taken if material is spilled: clean with damp cloth.

Waste Disposal Method: no special treatment.

Precautions to be taken in Handling and Storage: store at room temperature.

Other precautions: none.

Section 8. Control Measures

Respiratory protection: none.

Ventilation: none.

Protective gloves: none. Protective clothing: none.

Work/Hygiene practices: good general microbiology techniques.

The information and recommendations herein are based upon tests believed to be reliable. However, Pro-Lab Diagnostics does not guarantee their accuracy or completeness nor shall any of this information constitute a warranty, whether expressed or implied, as to the safety of the goods, the merchantability of the goods or the fitness of the goods for a particular purpose. Adjustment to conform with actual conditions of usage may be required. Pro-Lab Diagnostics assumes no responsibility for results obtained or for incidental or consequential damages arising from the usage of this data. No freedom from infringement of any patent, copyright or trademark is to be inferred.